


## CLAIMS

1. A solid soap composition comprising:


a soap component (a);

5 polyoxyalkylene-modified polysiloxane (b) that is expressed by formula (1) below,



(where, R1 represents a hydrogen atom or an alkyl group having 1 to 5 carbon atoms, *m* represents an integer of 1 to 60, *n* represents an integer of 1 to 60, *a* represents an integer of 1 to 10, *b* represents an integer of 1 to 30, and *c* represents an integer of 0 to 30); and

tetrakis (2-hydroxyalkyl) ethylene diamine (c) that is expressed by formula (2) below,



15 (where, R2 to R5 are the same or different and each independently represent a hydrogen atom or an alkyl group having 1 to 5 carbon atoms), as essential components.

2. The solid soap composition according to claim 1,

20 wherein the polyoxyalkylene-modified polysiloxane (b) of formula (1) is polyoxyethylene-modified polysiloxan.

3. The solid soap composition according to claim 1,  
wherein the tetrakis (2-hydroxyalkyl) ethylene diamine (c) of  
formula (2) is at least one selected from the group consisting of tetrakis  
5 (2-hydroxypropyl) ethylene diamine, and tetrakis (2-hydroxybutyl) ethylene  
diamine.
4. The solid soap composition according to any one of claims 1 to 3,  
further comprising a fatty acid ester-based nonionic surfactant (d).
- 10 5. The solid soap composition according to claim 4,  
wherein the fatty acid ester-based nonionic surfactant (d) is at least  
one selected from the group consisting of polyalkylene glycol difatty acid  
ester, trifatty acid glyceryl, and trifatty acid polyoxyalkylene glyceryl.
- 15 6. The solid soap composition according to any one of claims 1 to 5,  
further comprising an amphoteric surfactant (e) and a polyhydric alcohol (f).
7. The solid soap composition according to claim 6,  
20 wherein the amphoteric surfactant (e) is at least one selected from  
the group consisting of an imidazolinium betaine-based amphoteric  
surfactant, an amidoalkyl betaine-based amphoteric surfactant, and an  
alkyl betaine-based amphoteric surfactant.
- 25 8. The solid soap composition according to claim 6,  
wherein the polyhydric alcohol (f) is at least one selected from the  
group consisting of glycerin, diglycerine, 1,3-butylene glycol, propylene  
glycol, polyoxypropylene glyceryl ether, and polyoxypropylene diglyceryl  
ether.
- 30

9. The solid soap composition according to any one of claims 1 to 8, further comprising alkali ion water (g).
10. A solid soap that is formed when a predetermined maturing period  
5 has passed after molding the solid soap composition according to any one of claims 1 to 9 into a solid soap by applying a framing method or a milling method.